

HODKIN & JONES
EST. 1868

FINE ARCHITECTURAL MOULDINGS SINCE 1868

OUR HISTORY

Hodkin & Jones was established by Herbert Hodkin in 1868.

He went into partnership with William Jones and together they produced fine architectural mouldings, with many of the designs still in manufacture today over 148 years later.

All Simply Elegant products are still hand made today by dedicated and skilled craftsmen using methods and materials handed down to them from generation to generation.



CBRN 56

HODKIN & JONES LTD.
QUEENS ROAD, SHEFFIELD 2
 TELEPHONE No. 53561 (1 LINES)

for
Precast and In-Situ Terrazzo Work

COMMUNION RAIL IN PRECAST TERRAZZO
 at
St. Marie's Church, Norfolk Road, Sheffield

RECENT CONTRACTS:

CHURCH OF OUR LADY QUEEN OF HEAVEN
 SOUTHEND ROAD, SHEFFIELD

DE LA SALLE COLLEGE EXTENSIONS
 SCOTT ROAD, SHEFFIELD

CHURCH OF THE IMMACULATE HEART OF MARY
 HARROGATE ROAD, LEEDS

ESTABLISHED 1868.

HODKIN & JONES,
Builders' Merchants.

Specialities: EARLE'S BEST PORTLAND CEMENT.
 GREEN'S PATENT GULLIES, CHANNEL BLOCKS, &c.
 PRYTON'S CHAMPION CHIMNEY POT AND VENTILATOR.
 THE ADAMANT CO'S PATENT PLASTER.
 EARTHENWARE SINKS, MANGLES, TROUGHES, &c.
 HIGH-CLASS MODERN SANITARY WARE.
 ROOFING SLATES—100,000 ALWAYS IN STOCK.
 GALLENDER'S BITUMEN DAMP COURSE.

SLATERS, TILERS
 AND
Concrete Workers.

Fibreproof Floor Construction.
 Impervious Stable Floors.
 Silicated Concrete Paving Flags.
 Concrete Masonry of all descriptions.

FIBROUS PLASTER DECORATIVE WORK.

CEILINGS, CORNICES, TRUSSES, ENRICHMENTS, CENTRE-PICES, &c.
 FIBROUS PLASTER CEILINGS DO NOT CRACK. MADE IN LARGE SLABS.
 TO NAIL TO JOISTS OR ON FACE OF OLD CEILINGS.

Offices, Works and Sidings: **HAVELOCK BRIDGE WORKS, QUEEN'S ROAD;**
 Central/Branch Stores: **51-57, Blonk Street,**

From an advertisement in the 1900 White's General & Commercial Directory of Sheffield and Rotherham and the parishes, townships, villages and hamlets within a radius of seven miles from Sheffield.



Hodkin and Jones Ltd., Building Material Merchants (Havelock Bridge Works) on Queen's Rd at the junction with Shoreham St and Myrtle Rd. Image Circa 1955



Hodkin & Jones delivery drivers. Image Circa 1925

SIMPLY ELEGANT COLLECTION

Simply Elegant is a range of quite fabulous architectural mouldings and decorative features available exclusively from Hodkin & Jones, Britain's leading designer and manufacturer of fibrous plaster for domestic, commercial and retail applications.

Our product range has been developed over the last 140 years and features designs that have been employed in some of Britain's finest historic houses, museums and public buildings. Each item within the range is painstakingly manufactured with the care and craft skills that only many years of experience can deliver.

Choose any product from the Simply

Elegant range to create a unique and memorable embellishment to your next interior project. Select the design you require, each is pictured and accompanied by a sectional drawing and order code, and specify the number of run lengths required. Alternatively, contact one of our technical sales team who will be happy to show you how we can match an existing design, no matter how old, or create a new one exclusively for you.

Please Note: Comprehensive fitting and installation instructions are available for all Simply Elegant products. Please study carefully prior to specification or ordering.



CONTENTS

Cornices	4-21
Contemporary Cornices	22-25
Panel & Dado Mouldings	25-34
Corner Blocks & Corners	31-33
Centre Pieces	34-39
Niches	40-41
Fire Surrounds	42-43
Door Surrounds	44-45
Arches & Corbels	46-47
Decorations	48-41
Columns	52-53
How To Install	54-55
Terms & Conditions	55



CORNICES

The Simply Elegant range of cornices features more than One Hundred and Thirty quite beautiful designs – from the delightfully understated Georgian Swan neck designs to the fabulously ornate Whitehall. Once overlooked in modern buildings, cornices are now incorporated into many designers' specifications offering the potential of transforming a once ordinary space into a room of great character and style.


The mouldings illustrated encompass both modern and traditional styles. This is just a small collection of our range. If the style you require is not here please contact our office.

Thanks to modern LED lights, producing suitable cornice has now become much easier and so we are able to offer a more extensive range of mouldings suitable to be adapted to take advantage of discreet lighting that casts a gentle glow towards the ceiling, enhancing a room's ambience.

Once you have selected the style you would like please speak to our sales office for further assistance.


C0001 **SMALL GRAPE VINE**

Length 2703mm
Pattern repeat 340mm



C0002 **VINE**

Length 2915mm
Pattern repeat 430mm




C0003 **EARLY GRAPE VINE**

Length 2770mm
Pattern repeat 180mm




C0004 **FOREST VINE**

Length 3100mm
Pattern repeat 280mm



C0005 **LEAF & HONEYSUCKLE**

Length 3020mm
Pattern repeat 82mm




C0006 **ADAM LEAF & HONEYSUCKLE**

Length 3040mm
Pattern repeat 140mm




C0007
**HONEYSUCKLE
 & BRAID**

Length 3005mm
 Pattern repeat 140mm




C0008
PLUME & FAN

Length 2645mm
 Pattern repeat 270mm




C0009
MAJESTIC

Length 2725mm
 Pattern repeat 535mm




C0010
**ORNATE REED
 & RIBBON**

Length 2965mm
 Pattern repeat 165mm




C0011
BEAUMONT

Length 3012mm
 Pattern repeat 105mm




C0012
SMALL GOTHIC

Length 2893mm
 Pattern repeat 75mm




C0013
GOTHIC

Length 2840mm
Pattern repeat 115mm




C0014
DEEP VAULT & RIB

Length 3030mm
Pattern repeat 120mm




C0015
RIB & VAULT

Length 3060mm
Pattern repeat 140mm




C0016
VAULT

Length 3005mm
Pattern repeat 47mm




C0017
LATTICE

Length 3025mm
Pattern repeat 36mm



C0018
SMALL SWINDON

Length 2600mm
Pattern repeat 237mm




C0019
HONEYSUCKLE & BRAID

Length 3000mm
Pattern repeat 280mm



Part of a co-ordinated collection




C0020
NEW ACANTHUS LEAF

Length 3000mm
Pattern repeat 240mm




Part of a co-ordinated collection



C0021**ACANTHUS LEAF**


Length 2980mm

Pattern repeat 200mm

**C0022****HAMPTON**


Length 2433mm

Pattern repeat 810mm

**C0023****MEDIUM WILLIAM & MARY**


Length 2915mm

Pattern repeat 416mm

**C0024****DUTCH CLASSIC**


Length 2675mm

Pattern repeat 450mm

**C0025****ACANTHUS LEAF WITH BEAD**

Length 2745mm

Pattern repeat 690mm


**C0026****LARGE ACANTHUS LEAF**

Length 3175mm

Pattern repeat 305mm




Part of a co-ordinated collection

**C0027****ACANTHUS CLASSIC**


Length 2780mm

Pattern repeat 117mm




C0028
**LARGE WILLIAM
 & MARY**

Length 2690mm
 Pattern repeat 445mm



C0029
**LARGE ACANTHUS
 LEAF WITH BEAD**

Length 2550mm
 Pattern repeat 850mm




C0030
**SMALL ACANTHUS
 SCROLL**

Length 2985mm
 Pattern repeat 89mm



Part of a co-ordinated collection




C0031
**LARGE ACANTHUS
 SCROLL**

Length 3250mm
 Pattern repeat 150mm




Part of a co-ordinated collection





C0032
WHITEHALL

Length 2690mm
 Pattern repeat 530mm




C0033
**FRENCH WATER
 LEAF**

Length 2900mm
 Pattern repeat 50mm



C0034
WATER LEAF


Length 3000mm
 Pattern repeat 70mm



C0035**ADAM LEAF
WITH BEAD**


Length 2622mm

Pattern repeat 22mm

**C0036****SINGLE WATER
LEAF**

Length 3005mm

Pattern repeat 100mm

**C0037****DATE LEAF**


Length 3075mm

Pattern repeat 50mm

**C0038****LARGE ADAM**



Length 2757mm

Pattern repeat 58mm

**C0039****LARGE REGENCY**


Length 2920mm

Pattern repeat 43mm

**C0040****ALDERLEY**


Length 3018mm

Pattern repeat 41mm

**C0127****WATERLEAF
& SCROLL**

Length 2980mm

Pattern repeat 140mm




C0041

LEAF & RIB

Length 3025mm

Pattern repeat 40mm




C0042

DRAPE & BALL WITH BEAD

Length 3080mm

Pattern repeat 60mm




C0043

LARGE DRAPE & BALL WITH BEAD

Length 3090mm

Pattern repeat 120mm




C0044

SMALL RIB & FLORET

Length 3120mm

Pattern repeat 150mm




C0045

MEDIUM RIB & FLORET

Length 3265mm

Pattern repeat 170mm




C0046

SMALL DENTIL

Length 3000mm

Pattern repeat 20mm




C0047

SMALL CLASSICAL DENTIL



Length 3000mm

Pattern repeat 30mm




C0048
CLASSICAL DENTIL

Length 3000mm
Pattern repeat 40mm




C0049
LARGE DENTIL

Length 3000mm
Pattern repeat 40mm





C0050
HEAVY DENTIL

Length 2975mm
Pattern repeat 56mm





C0051
RIB & DENTIL

Length 2970mm
Pattern repeat 106mm




C0052
LEAF DENTIL WITH EGG & DART

Length 2880mm
Pattern repeat 80mm




C0053
COLOSSEUM

Length 2925mm
Pattern repeat 130mm




C0054
DORIC FLORET

Length 2935mm
Pattern repeat 210mm




C0055
BYRON

Length 2900mm
Pattern repeat 166mm




C0056
GRAND VICTORIAN

Length 2510mm
Pattern repeat 180mm




C0058
MEDALLION CLASSIC

Length 2870mm
Pattern repeat 150mm





C0059
ROMAN DORIC

Length 3000mm
Pattern repeat 150mm



C0060
CLASSICAL DENTIL WITH EGG & DART



Length 3000mm
Pattern repeat 75mm



C0061**EATON**


Length 3150mm

Pattern repeat 49mm

**C0062****SWAG & DROP COVE**


Length 3050mm

Pattern repeat 330mm

**C0063****SWAG & DROP WITH BALL**

Length 3005mm

Pattern repeat 255mm


**C0064****ADAM SWAG & DROP**

Length 3145mm

Pattern repeat 455mm



Part of a co-ordinated collection


**C0065****SMALL EGG & DART**

Length 3000mm

Pattern repeat 50mm



Part of a co-ordinated collection


**C0066****LARGE EGG & DART**

Length 3000mm

Pattern repeat 75mm




Part of a co-ordinated collection

**C0067****GEORGIAN CROSS REED WITH EGG & DART**



Length 2765mm

Pattern repeat 565mm

**C0068****EGG & DART WITH BEAD & REEL**


Length 2745mm

Pattern repeat 110mm




C0069
GEORGIAN COVE
WITH EGG & DART

Length 2700mm
 Pattern repeat 63mm




C0070
ROSE FLORA
WITH EGG & DART

Length 3000mm
 Pattern repeat 305mm




C0071
OAK LEAF WITH
EGG & DART

Length 2500mm
 Pattern repeat 380mm




C0072
ENRICHED VINE
WITH EGG & DART

Length 3000mm
 Pattern repeat 430mm



C0073
GRAND EGG &
DART

Length 2960mm



C0073A
TRADITIONAL
MODILLION



C0073B
VICTORIAN
MODILLION
 TO SUIT C0073




C0073C
FRENCH
MODILLION

C0074

CHELSEA

Length 2566mm

Pattern repeat 315mm




C0075

CHESTERFIELD

Length 2420mm

Pattern repeat 510mm



C0076


SMALL FLUTED

Length 3060mm

Pattern repeat 30mm



If desired profile can be inverted



C0077


LARGE FLUTED

Length 3005mm

Pattern repeat 30mm



If desired profile can be inverted



C0078


GREEK KEY

Length 3045mm

Pattern repeat 30mm



If desired profile can be inverted



C0079


**GREEK KEY WITH
LARGE MOTIF**

Length 3110mm

Pattern repeat 100mm



If desired profile can be inverted



C0080


**SMALL RIBBED
COVE**

Length 3055mm

Pattern repeat 12mm




If desired profile can be inverted





C0081
MEDIUM RIBBED

Length 2510mm
Pattern repeat 18mm




C0124
LARGE RIB & BEAD

Length 3000mm
Pattern repeat 35mm



C0082
LARGE RIBBED COVE


Length 3060mm
Pattern repeat 13mm



If desired profile can be inverted


C0083
BRAIDED OGEE

Length 3010mm
Pattern repeat 12mm



C0084
SMALL OGEE


Length 3000mm



If desired profile can be inverted

C0085
LARGE OGEE


Length 3000mm



If desired profile can be inverted


C0086
SMALL OGEE & COVE

Length 3000mm



C0087
LARGE OGEE & COVE


Length 3000mm




C0088
EARLY VICTORIAN
 Length 3000mm




If desired profile can be inverted




C0089
SMALL SCOTTISH VICTORIAN
 Length 3000mm




C0090
LARGE SCOTTISH VICTORIAN
 Length 3000mm





C0091
LARGE VICTORIAN
 Length 2740mm





C0116
SHAWFORD RUN
 Length 3000mm




C0092
GEORGIAN SWALLOW
 Length 3000mm




C0129
GEORGIAN SWIFT
 Length 3000mm




C0093
GEORGIAN COVE
 Length 3000mm




C0094
GEORGIAN RUN
 Length 3000mm




C0095
GEORGIAN RUN
 Length 3000mm





C0096
GEORGIAN RUN
 Length 3000mm




C0097
GEORGIAN RUN
 Length 3000mm



C0098
LARGE GEORGIAN
 Length 3000mm




C0099
ADAM PLAIN RUN
 Length 3000mm




If desired profile can be inverted

C0100
PLAIN RUN COVE
 Length 3000mm




If desired profile can be inverted

C0101
PLAIN RUN COVE
 Length 3000mm




C0102
SMALL COVE
 Length 3000mm




C0103
SMALL COVE

Length 3000mm




C0104
PLAIN RUN COVE

Length 3000mm




C0105
MAXINE COVE

Length 3000mm




C0106
OGEE COVE

Length 3000mm




C0117
CAMBRIDGE

Length 3000mm




C0130
SMALL CAMBRIDGE

Length 3000mm




C0132
OXFORD

Length 3000mm




C0131
SMALL OXFORD

Length 3000mm




C0119
TRINITY SWAN
NECK

Length 3000mm




C0107
SWAN NECK

Length 3000mm




C0108
SMALL SWAN NECK

Length 3000mm




C0109
GEORGIAN SWAN
NECK

Length 3183mm




C0110
MEDIUM SWAN
NECK

Length 3000mm




C0111
STANHOPE COVE

Length 3000mm



C0112
LARGE SWAN NECK


Length 3000mm



C0113

BARNES


Length 3115mm



C0114

ANGELGATE


Length 2960mm



C0121

ART DECO CLASSIC

Length 3000mm




LIGHTING TROUGHS

Most cornices can now be adapted to take LED lights, please contact the sales office for further information.

LT 1

PLAIN LIGHTING TROUGH


Length 1784mm



LT 2

REEDED LIGHTING TROUGH

Length 1832mm




LT 3

ACANTHUS SCROLL LIGHTING TROUGH



Length 1784mm

Pattern repeat 140mm





CONTEMPORARY CORNICES



C0163
SMALL MAYFAIR
Length 3000mm





C0134
MEDIUM MAYFAIR
Length 3000mm





C0139
LARGE MAYFAIR
Length 3000mm





C0140
CLAREMONT
Length 3000mm





C0141
SANDOWN
 Length 3000mm





C0142
ASCOT
 Length 3000mm





C0145
WALTON
 Length 3000mm





C0155
SUNNINGHILL
 Length 3000mm





C0160
WENTWORTH
 Length 3000mm





C0161
VIRGINIA
 Length 2935mm



C0162
BURWOOD
 Length 3000mm



C0165
RICHMOND
 Length 3000mm




PANEL & DADO MOULDINGS

Panel and dado mouldings are perhaps the most luxurious of all the details that can be employed to create a most magnificent interior. Many of the designs presented here have been developed to co-ordinate with the Simply Elegant cornice range to ensure that a complete interior scheme can be created.

Dado mouldings can be used to divide an uninspiring wall while panel mouldings, with matching corner blocks or quadrants, present opportunities for the inspired designer to create something spectacular. These can complement or enhance an overall colour or design theme, or bring attention to particular architectural aspects of the scheme.

P2001 SMALL BEAD

Length 935mm



P2002 BEADED

Length 1200mm

Corner style stepped



P2003 SMALL REED & RIBBON

Length 1200mm


Corner style quadrant



P2004 PLAIN FLUTED

Length 912mm


Corner style quadrant



P2005 PLAIN REED

Length 912mm


Corner style quadrant



P2006 DOUBLE REED

Length 912mm


Corner style quadrant



P2007 REED & ACANTHUS LEAF


Length 1540mm

Corner style quadrant





P2008 PLAIN PANEL

Length 2000mm




P2009 DART PANEL

Length 1985mm




P2010 SMALL WATERLEAF

Length 1969mm




P2011
ACANTHUS LEAF & FLOWER

Length 1595mm
Corner style quadrant




P2012
CROSSED RIBBON & FLOWER

Length 1653mm
Corner style quadrant




P2013
FLORAL BORDER

Length 1900mm




P2014
PLAIN GROOVED PANEL

Length 1960mm




P2015
BOLECTION MOULD

Length 1990mm
Corner style quadrant




P2016
FLOWER & DART

Length 1990mm




P2017
REEDED RIBBON

Length 1735mm
Corner style quadrant




P2018
MEDIUM ROUND

Length 2290mm




P2019
PLAIN RUN

Length 2440mm




P2020
SMALL LEAF & RIBBON

Length 1810mm
Corner style quadrant




P2021
EGG & DART

Length 1805mm
Corner style quadrant





P2022
REED & RIBBON

Length 1790mm
Corner style quadrant




P2023
MEDIUM WATERLEAF

Length 2025mm




P2024
RIBBON & FLOWER

Length 1832mm
Corner style quadrant




P2025
PLAIN

Length 1820mm
Corner style mitre joint




P2026
DENTIL PANEL MOULD

Length 1795mm
Pattern repeat 44mm




P2027
MEDIUM REED & RIBBON

Length 1790mm
Corner style quadrant




P2028
ROPE

Length 1810mm




P2029
LARGE LEAF & RIBBON

Length 1844mm
Corner style quadrant




P2030
GRAND REED & RIBBON

Length 2000mm
Corner style quadrant




P2031
ADAM FLUTED


Length 1832mm
Corner style block




P2032
EGG & DART DADO
 Length 1837mm
 Corner style mitre joint




P2033
BRAIDED FLOWER DADO
 Length 2270mm




P2034
LARGE REED & RIBBON
 Length 1170mm
 Corner style quadrant




P2035
BEADED RIB & FLORET DADO
 Length 2105mm




P2036
LARGE EGG & DART
 Length 1860mm




P2037
PROGRESSIVE
 Length 1899mm




P2038
CROSSED RIBBON FLOWER
 Length 1965mm



P2039
RIBBED
 Length 1975mm




P2040
BEAD & SWIRL DADO
 Length 2059mm



P2041
PLAIN DADO


Length 2170mm



P2042
COILED REED & RIBBON


Length 1985mm

Corner style mitre joint




P2043
FLORAL EIGHT

Length 1945mm




P2044
TULIP

Length 2015mm




P2045
AZTEC

Length 2030mm




P2046
DECORATIVE RIBBED DADO

Length 2060mm



P2047
BEAD & SWIRL WITH DADO
PLAIN RUN


Length 1970mm



P2048
GREEK KEY WITH MOTIF

Length 1743mm


Corner style block




P2049**VINE**

Length 1663mm


Corner style quadrant

**P2050****CONTINENTAL**

Length 2170mm


**P2051****FRUIT HARVEST
DADO**

Length 2800mm


**P2052****LARGE VINE**

Length 1700mm


Corner style quadrant

**P2053****DEEP FLUTE
& OVAL**


Length 2090mm

**P2054****OPTICAL DADO**


Length 2048mm

**P2055****ACANTHUS DADO**

Length 2725mm

**P2057****EXTRAVAGANZA
FRIEZE**296mm wide x 20mm
projection.

Length 2020mm




FLORAL SWAG PANEL

324mm wide x 30mm
projection
Length 1112mm



LATTICE INFILL PANEL

690mm wide x 740mm high
x 32mm projection



ADAM PANEL

120mm wide x 56mm
projection.
Length 775mm



JACOBEAN CEILING DESIGN

Measurements to customers
specification.




CORNER BLOCKS & CORNERS

CB5

SMALL CORNER BLOCK

62x62mm Pro 26mm



CB6

LARGE CORNER BLOCK

104x104mm Pro 20mm



P2002C BEADED



P2003C SMALL REED & RIBBON




P2004C PLAIN FLUTED



P2005C
PLAIN REED



P2006C
DOUBLE REED



P2007C
**REED &
ACANTHUS LEAF**



P2008C
PLAIN



P2009C
**PLAIN
DECORATIVE**



P2010C
SMALL WATERLEAF



P2011C
ACANTHUS LEAF



P2012C
**CROSSED RIBBON
& FLOWER**



P2014C
PLAIN GROOVED



P2014D
**PLAIN GROOVED
DECORATIVE**



P2015C
FLOWER & DART



P2006C
BEADED



P2016D
FLOWER
& DART



P2020C
SMALL LEAF
& RIBBON



P2021C
EGG & DART



P2022C
REED &
RIBBON



P2024C
RIBBON & FLOWER



P2027C
MEDIUM REED
& RIBBON



P2029C
LARGE LEAF
& RIBBON



P2034C
LARGE REED
& RIBBON



P2052C
LARGE VINE



P2049C
SMALL VINE



CENTRE PIECES

INCLUDING CENTRE BOSSES

Ceiling centre pieces date from the early Georgian period and were originally designed to protect the ceiling from the heat of candle or gas lighting. Today, centre pieces are one of the most commonly used decorative mouldings in both domestic and commercial premises. They add a real touch of elegance to any room.

The largest centre piece in our range is a little over five feet across, while for more modest applications many are available at around 18 inches. Most styles are offered with a centre finishing boss. Whether you choose the simple Rope design (CP3029) or the beautiful Adam Spray with Honeysuckle (CP3019), ensure you choose Simply Elegant.



CB1
LEAF BOSS
100mm dia. 35mm pro



CB2
FLUTED BOSS
86mm dia. 20mm pro



CB3
FLOWER BOSS
95mm dia. 45mm pro



CB4
SMALL BOSS
63mm dia. 16mm pro



CP3001
ADAM OVAL
86mm dia. 20mm pro



CP3002
REGENCY ACANTHUS LEAF WITH RADIALS
677mm dia. 17mm pro



CP3005
MODERN
615mm dia. 25mm pro



CP3003
REGENCY ACANTHUS LEAF
417mm dia. 35mm pro
Part of a co-ordinated collection.

CP3003
LARGE ACANTHUS LEAF
600mm dia. 50mm pro
Part of a co-ordinated collection.
*Available with centre cut out.



CP3006
ADAM SPRAY
WITH RIBBON & BOW
 1055mm dia. 120mm pro



CP3007
ADAM CIRCULAR SPRAY
 614mm dia. 90mm pro



CP3008
ADAM SPRAY WITH
SCALLOPED EDGE
 565mm dia. 33mm pro



CP3009
GEORGIAN STAR SHIELD
 535mm dia. 65mm pro



CP3010
LEAF
 624mm dia. 35mm pro



CP3011
SWAG AND DROP
 436mm dia. 31mm pro
 Part of a co-ordinated collection
 *Available with centre cut out.



CP3012
ACANTHUS SCROLL
 430mm dia. 37mm pro
 Part of a co-ordinated collection
 *Available with centre cut out.



CP3014
ADAM OVAL WITH SCALLOPED CANOPY
 1530mm x 1240mm 40mm pro



CP3013
ADAM OVAL SPRAY WITH RIBBONED CANOPY
 1518mm x 1075mm 132mm pro



CP3016
EMBASSY
 856mm dia. 63mm pro



CP3017
SMALL RONDELLE
 489mm dia. 27mm pro



CP3018
RONDELLE
 680mm dia. 26mm pro
 *Also available 850mm dia. **CP3047**



CP3019
ADAM SPRAY WITH HONEYSUCKLE
 850mm dia. 32mm pro



CP3020
VICTORIA

589mm dia. 32mm pro

*Also available 795mm dia. **CP3045**



CP3021
CONSULATE

585mm dia. 57mm pro



CP3026
BEAD AND REED

330mm dia. 22mm pro



CP3022
LEAF SPRAY WITH RIB AND FLORET

710mm dia. 42mm pro




CP3023
HUSK SPRAY WITH SCALLOPED EDGE

715mm dia. 19mm pro



CP3024
HUSK SPRAY WITH RIB AND SCALLOPED EDGE

625mm dia. 21mm pro




CP3025
LEAF SPRAY WITH RADIALS

440mm dia. 21mm pro



CP3028
LARGE ADAM SCALLOPED
 950mm dia. 30mm pro



CP3034
LARGE CIRCUIT FAN
 1065mm dia. 35mm pro



CP3029
ROPE
 487mm dia. 30mm pro



CP3027
ACANTHUS LEAF WITH EGG & DART
 466mm dia. 38mm pro



CP3030
ORNATE RIBBON
 644mm dia. 55mm pro



CP3033
LARGE FRENCH WATERLEAF
 600mm dia. 30mm pro



CP3031
FANNED LEAF
 588mm dia. 55mm pro



CP3032
SMALL FRENCH WATERLEAF
 455mm dia. 41mm pro



CP3035
VICTORIAN ROLLING LEAF
 770mm dia. 50mm pro



CP3036
COOK CIRCULAR
 598mm dia. 38mm pro



CP3038
LARGE VICTORIAN
 770mm dia. 62mm pro

CP3039
SMALL VICTORIAN
 478mm dia. 45mm pro.



CP3037
OVAL FAN WITH HUSKS
 805mm x 550mm 22mm pro



CP3040
ACANTHUS LEAF WITH HUSKS
 650mm dia. 50mm pro



CP3041
ACANTHUS LEAF WITH DENTIL
 463mm dia. 48mm pro



CP3043
CENTREPIECE AUTUMN
 460mm dia. 20mm pro




CP3046
GRAPE
 555mm dia. 35mm pro

NICHES

Simply Elegant niches are the perfect means of creating a focal point in any wall, hallway or gallery, regardless of size. Whether used for the permanent display of treasured objects, or simply as an excuse to lift the spirit every day with generous flower arrangements, they are certain to enhance any area.

Most models are supplied with glass shelves and a frosted glass base, beneath which gentle illumination may be concealed. There are a variety of specifications offering full flexibility of fitting. Please contact our technical department before ordering to ensure that your chosen niche is suitable for the application you have in mind.



PRINCIPLE DIMENSIONS (mm)

PALLADIO

FROSTED GLASS BASE

STYLE	A	B	C	D	E	F	G	H	J
GENOA*	590mm	80mm	400mm	440mm	305mm	390mm	40mm	160mm	590mm
ROMA	890mm	175mm	600mm	665mm	455mm	600mm	135mm	120mm	890mm
SORRENTO	1125mm	115mm	670mm	770mm	530mm	790mm	115mm	290mm	1100mm
RIMINI	920mm	177mm	590mm	663mm	460mm	625mm	132mm	100mm	930mm
MIRROR NICHE*	670mm	150mm	395mm	425mm	270mm	470mm	110mm	N/A	N/A
PLAIN FACE NICHE*	670mm	150mm	395mm	425mm	270mm	470mm	110mm	N/A	N/A
CORNER FIRENZE	840mm	110mm	580mm	640mm	465mm	555mm	375mm	N/A	N/A
FIRENZE	845mm	105mm	575mm	635mm	465mm	555mm	100mm	150mm	835mm
PALLADIO	1470mm	115mm	855mm	905mm	665mm	1030mm	70mm	400mm	1450mm
MILANO	1080mm	300mm	730mm	760mm	550mm	715mm	135mm	200mm	1080mm
TURINO	845mm	105mm	585mm	635mm	465mm	555mm	100mm	145mm	830mm

* One piece unit with solid base



GENOA

Solid base only.



SORRENTO

Frosted glass base and plain glass shelf.



RIMINI

Solid base.



ROMA

Frosted glass base and plain glass shelf.



FIRENZE

Frosted glass base plain glass shelf.
Available as corner niche.



MILANO

Frosted glass base and two plain glass shelves.



MIRROR NICHE

Solid base.



PLAIN FACE NICHE

Solid base.




TURINO

Frosted glass base and plain glass shelf.

FIRE SURROUNDS

No matter how large the room it is invariably the fire place which attracts the visitors attention first. And it is the fire surround which has the ability to create the perfect setting for the fire itself. Simply Elegant's portfolio of fire surrounds includes designs which reflect the classical English and French, through to the less formal Spanish presentation.

All Simply Elegant fire surrounds are manufactured from noncombustible, specially hardened plaster which is far more durable than the conventional material. They can be used in conjunction with any type of hearth, back panel and fire and will readily accept all types of paint finish.



STYLE	A	B	C	D	E	F	G	H	J
VERSAILLE	1240	1575	960	920	1535	275	300		
BEAUCHIEF (Inset/Acanthus Leaf)	1130	1430	875	880	1335	160	195		
FULWOOD (Inset/Acanthus Scroll)	1130	1430	875	880	1335	160	195		
BERKELEY	1100	1120	900	700	1080	95	130		
REGENCY	1102	1316	872	915	1170	100	182		
SANDRINGHAM	1135	1320	830	840	1220	135	175		
ABBEYDALE (Inset/Egg and Dart)	1130	1430	875	880	1335	160	195		
CHERWELL	1320	1510	945	940	1405	180	225		
CLASSIC	1000	1555	650	900	1395	60	140		
ARAGON FIRE SURROUND	2300	1515	775	900	1150	280	275	450	40
CADIZ CANOPY	1440	1000	425	25	230				

**FULWOOD
(INSET/ACANTHUS SCROLL)**

Part of a co-ordinated collection.
Jambs and mantle supplied separately.



**ABBEYDALE
(INSET EGG AND DART)**

Part of a co-ordinated collection.
Jambs and mantle supplied separately.



**BEAUCHIEF
(INSET/ACANTHUS LEAF)**

Part of a co-ordinated collection.
Jambs and mantle supplied separately.



CADIZ CANOPY

Support corbels also available.



BERKELEY

Jambs and mantle supplied separately.



CLASSIC

Jambs and mantle supplied separately.



REGENCY

Jambs and mantle supplied separately.



ARAGON

Jambs and mantle supplied separately.



CHERWELL



SANDRINGHAM

Jambs and mantle supplied separately.



VERSAILLE

Solid base.

DOOR SURROUNDS

INCLUDING ARCHITRAVE, CORNER BLOCKS & PILASTERS

There can be few better ways to enhance the interior of any new build or restoration project than by the judicious application of interior door surrounds. Again designed to suite seamlessly with our collection of dados, cornices and centre pieces, Simply Elegant door surrounds help to make entering a room an event rather than an everyday occurrence.

Doorheads and pilasters can be supplied separately or as complete units and may also be used with our range of corbels and architraves. Although most designs are only suitable for interior use, the Warwick pattern is also available in GRP for exterior entrance applications.

OUR FIBROUS PLASTER DOORHEADS CAN BE CO-ORDINATED WITH THE PILASTERS SHOWN, OR MAY BE USED WITH OUR RANGE OF CORBELS OR ARCHITRAVES.



BLenheim DOOR SURROUND



WARWICK DOOR SURROUND



BURLEIGH/BLenheim DOORHEAD

265mm x 1219mm (min)
(See 2 sizes)



WARWICK DOORHEAD STRATFORD DOORHEAD

(as Warwick but without enrichment)
300mm x 1690mm (min)



STYLE	A		B		C	D	E
	MIN	MAX	MIN	MAX			
BURLEIGH	1219	2300	1139	2220	265	65	25
BLenheim	1219	2300	1139	2220	265	100	60
STRATFORD	1690	3100	770	1560	300	150	92
WARWICK	1690	3100	770	1560	300	150	92

D501
SMALL PLAIN
ARCHITRAVE

75mm width 25mm
projection
1833mm length



D502
BURLEIGH
ARCHITRAVE

105mm width 32mm
projection
1833mm length



D503
LARGE PLAIN
ARCHITRAVE

136mm width 30mm
projection
1833mm length



D504
BLENHEIM
ARCHITRAVE

(Plinth Base Available)
158mm width 62mm
projection
2040mm length



D505
ACANTHUS SCROLL
ARCHITRAVE

135mm width 27mm
projection
2645mm length



Part of a co-ordinated collection

D506
BLENHEIM CORNER
BLOCK

164 x 164mm
Pro 76mm



D508
SMALL BURLEIGH
CORNER BLOCK


106 x 106mm
Pro 38mm



STYLE	A	B	C	D	E
PLINTH BASE	500max	122	72	38	25

DOORHEADS AND ARCHITRAVES CAN BE CO-ORDINATED TO GIVE A VARIETY OF DOOR SURROUNDS. MATCHING CORNER BLOCKS ARE AVAILABLE TO SUIT MOST STYLES.


STYLE	A	B	C	D	E	F
PINNER	2000*	260	260	205	85	80
WARWICK	2212*	260	260	190	85	60



D509
PLINTH BASE
496 x 119mm
Pro 36mm



PINNER
PILASTER



WARWICK
PILASTER


ARCHES & CORBELS

The Simply Elegant range includes a small selection of arches which are designed to be married with pilasters, corbels and columns from elsewhere in our range. Each of the designs featured has delightfully clean lines which allow them to be positioned in most areas regardless of architectural decoration.

Our largest arch has a span of almost four metres and is ideal for wide entrance halls or to help create the impression of a special area in a larger room. The smallest arch within the range, with a span of just under one metre, can be used in place of, or above, any doorway, or as part of a series of arches within a corridor.


ARCHES

	A		B		C		D		E		F
	MIN	MAX	MIN	MAX	MIN	MAX	MIN	MAX	MIN	MAX	
914	964	1218	N/A	N/A	485	765	100	300	457		
1067	1117	1371	N/A	N/A	485	765	100	300	457		
1219	1269	1523	N/A	N/A	485	765	100	300	457		
1524	1584	1828	N/A	N/A	485	765	100	300	457		
1829	1879	2133	940	1067	485	765	100	300	457		
2438	2488	2742	1244	1371	485	765	100	300	457		
3048	3098	3352	1549	1676	485	765	100	300	457		
3658	3708	3962	1854	1981	485	765	100	300	457		



**HAMPSTEAD
PILASTER**

**HOLBORN
PILASTER**




DIMENSIONS (mm)

PILASTERS

A	B	C	D (Hampstead)	D (Holborn)	E	F (Max)
190	1676	265	200	150	225	150
240	1676	310	200	150	225	200
290	1676	355	200	150	225	250
335	1676	395	200	150	225	295

ARCH PILASTERS ARE OF UNIFORM HEIGHT, 1676mm, BUT CAN VARY IN SHAFT WIDTH FROM 190mm TO 355mm, RETURN ENDS FOR HEAD AND PLINTH ARE ALSO AVAILABLE. WE ALSO MANUFACTURE SPECIALLY HARDENED 225mm FIBROUS PLASTER SKIRTING TO COMPLEMENT THE PILASTER BASE.



Expanding Corbel
Normal projection 140mm
Slimline projection 78mm

CORBELS

STYLE	A	B	C	D	E
1a	340	234	195	327	15
1b	293	234	143	271	20
1c	194	138	106	264	17
2*	95	95	80	182	5
3	161	120	124	238	17
4a	143	98	87	272	10
4b	170	108	121	347	40
5	264	180	178	700	42
6*	157	101	260	351	40
7	Max	Max			
Expanding Corbel	1200 Min	1124 Min	140 S/L	265	6
	151	75	78	214	5
8	180	107	153	291	22
10	232	150	85	278	8




DECORATIONS

CEILING AND WALL ENRICHMENTS

Finely cast plaster decorations and wall or ceiling enrichments can be used in literally hundreds of ways to provide the most charming of finishes to any project. Many of the designs featured were originally created for use in fine houses and museums and all are now available for direct application to your project.

Our range includes more than 50 different items from simple and elaborate ceiling and wall enrichments, to delicate plaques and many special styles of rose. We have also included a choice of pedestals and a single bust to challenge your imagination. If you have a particular enrichment in mind, and cannot find it here, please ask us to help.




13B
LARGE BOW

333mm deep x 300mm wide
15mm pro



20A
CEILING CORNER ENRICHMENT

295mm x 110mm wide
16mm pro



20B
CEILING CORNER ENRICHMENT

305mm x 115mm wide
16mm pro



10A 225mm SWAG
12mm pro



10B 275mm SWAG
12mm pro



11A 220mm HUSK
10mm pro



11B 445mm HUSK
10mm pro



20E
CEILING CORNER ENRICHMENT

105mm wide 67mm deep
18mm pro



20
CEILING CORNER ENRICHMENT SET
20A, 20B & 20E



12C
312mm SMALL DROP
10mm pro



12B
162mm SMALL DROP
10mm pro



12A
110 mm SMALL DROP
6mm pro



5
URN
147mm deep x 65mm wide
15mm pro



5A
URN ON BASE
192mm high x 103mm wide



13A
RIBBON & BOW
145mm deep x 100mm wide
10mm pro



22B
LARGE FLEUR-de-LYS
160mm deep x 153mm wide
17mm pro



22C
FLEUR-de-LYS
125mm high x 65mm wide



23
FLOWER ENRICHMENT
178mm deep x 135mm wide
12mm pro



8
THISTLE
180mm deep x 229mm wide
14mm pro



33A
CHERUB
165mm



33B
CHERUB
70mm



33C
CHERUB
170mm



22A
SMALL FLEUR-de-LYS
57mm deep x 95mm wide
12mm pro




32
FLORAL
124mm x 124mm



31
SMALL THISTLE
92mm high x 94mm wide
30mm projection



17A
CIRCULAR ENRICHMENT
151mm dia




21
HONEYSUCKLE
230mm deep x 157mm wide
15mm pro



34
SMALL ENRICHMENT
295mm length x 126mm wide



30
KEYSTONE URN
92mm high x 65mm wide
37mm projection



17B
CIRCULAR ENRICHMENT
186mm dia



15B
SMALL OVAL ENRICHMENT
135mm x 73mm



15F
SMALL OVAL ENRICHMENT
155mm x 108mm



15C
SMALL OVAL ENRICHMENT
108mm x 74mm



15A
SMALL OVAL ENRICHMENT
132mm x 85mm



15D
SMALL OVAL ENRICHMENT
152mm x 105mm



15E
SMALL OVAL ENRICHMENT
152mm x 105mm

PLAQUES



PL1
RECLINING LADY
745mm x 545mm



PL2
CHERUBS IN CHARIOT
457mm



PL4
CHERUBS PLAYING FLUTE
665mm



PL11
ATHENA
385mm x 275mm



PL14
ATHENA
406mm x 264mm
30mm pro



PL16
SMALL PLAQUE
296mm x 209mm




PL19
SEA HARVEST
560mm dia 45mm pro



PL20
GRAIN HARVEST
560mm dia 45mm pro

ROSES



6C
160mm max. dia.
27mm pro



7B
124mm max. dia.
12mm pro



6D
92mm max. dia.
12mm pro



6B
80mm max. dia.
12mm pro



7D
260mm max. dia.
30mm pro



6A
55mm max. dia.
15mm pro



7C
170mm max.
dia. 22mm pro




7A
55mm max. dia.
11mm pro



7E
115mm max. dia.
15mm pro

PEDESTALS & BUST



PEDESTAL
922mm high
307mm dia of cap
334mm base

SMALL PEDESTAL
498mm high
307mm dia of cap
334mm base



BUST
530mm high
300mm wide

COLUMNS

Simply Elegant columns are designed with practical use in mind and are widely used in applications to enhance interior. Columns are available in fibrous plaster and GRG (glass reinforced gypsum) for interior use.

In addition, they can be supplied as full capitals or machining half columns for flush mounting on flat walls or as column cladding mechanisms. Each of the column designs featured is available with Doric or Ionic capitals.

COLUMNS AND HALF COLUMNS ARE AVAILABLE IN FIBROUS PLASTER OR GRG FOR INTERIOR USE.

HADDON

A	B	C	D	E	F	G	H
2134mm	145	230	275	50	320	410	320
2286mm	145	230	280	50	320	415	320
2438mm	145	230	280	50	320	415	320
2591mm	145	255	305	50	320	425	320

MILBURY

A	B	C	D	E	F	G	H
2040mm	110	125	170	50	205	270	205
2210mm	110	125	170	50	205	270	205
2440mm	110	125	170	50	205	260	205

HARDWICK

A	B	C	D	E	F	G	H
2134mm	125	200	250	50	325	350	325
2286mm	125	200	250	50	325	350	325
2438mm	145	270	300	50	320	440	320
2591mm	145	270	300	50	320	440	320

KEDLESTON

A	B	C	D	E	F	G	H
2425mm	200	165	203	50	285	280	285

CHATSWORTH


A	B	C	D	E	F	G	H
2134mm	140	230	275	50	340	410	340
2286mm	140	230	280	50	340	415	340
2438mm	140	230	280	50	340	415	340
2591mm	140	255	305	50	380	425	380

HAREWOOD

A	B	C	D	E	F	G	H
2134mm	132	205	250	50	336	350	336
2286mm	132	205	250	50	336	350	336
2438mm	132	270	300	50	380	440	380
2591mm	132	270	300	50	380	440	380

GLANMIRE


A	B	C	D	E	F	G	H
2286mm	95	165	204	50	272	285	272



CHATSWORTH



MILBURY



KEDLESTON

HARDWICK

GLANMIRE

HAREWOOD

HADDON

HOW TO INSTALL YOUR HODKIN & JONES FIBROUS PLASTER PRODUCTS

For best results in all cases ensure that the surface to where the plaster product is to be fixed and installed is clean, dry and flat. Repair major defects; slight defects will not be visible once the job is finished.

TO POSITION AND FIX A CORNICE

Make a short template (about 150mm long) by cutting the end of a standard 3m length of cornice. Push it into the angle between the ceiling and the wall, until it fits snugly. Allowing for the thickness of adhesive (3mm), using a pencil, mark both the depth and projection of the cornice on the wall and ceiling on both sides of the corner.

Repeat in all corners of the room, including external corners at alcoves and chimneybreasts. Join up all the corner lines and markings so that you have continuous lines around the walls and ceiling.

Always use a recommended adhesive to fix cornices. For added security nail or screw the cornice to the wall, and where possible to ceiling joists. Try to position the fixing points in a smooth section of cornice to ease filling and making good later. Ceiling joists can easily be found by systematically probing inside the ceiling guidelines with a nail. The cornice will eventually cover up these marks. After considering the pattern repeat, decide the most appropriate starting point and commence fixing. Cut the first piece and mitre the ends as necessary (see cutting a mitre). Spread the adhesive on the back of the cornice where it will be in contact with the wall and ceiling. Then 'squeeze' the cornice into the angle between the wall and ceiling on either side of the corner, ensuring it is as 'tight' as possible.

The guidelines should just be visible. Hammer in the nails halfway; do not knock them in all the way at this stage.

If you find the wall surface is off line, fix the cornice strictly to the ceiling lines you have marked, where straightness is most noticeable. Leave an approximate gap of 6mm between the mitred ends at the corners so that they can be 'jointed' using a proper jointing compound.

Continue fixing the remaining cornice around the complete room. When fixing two straight pieces leave a 6mm gap at the joint and fill in as you would for the corner joints.

Once all the joints are aligned, hammer home the nails below the surface of the cornice and fill in the holes.

FIXING A PANEL MOULD

Follow instructions for fixing a cornice.

CUTTING A MITRE

Determine the projection of the cornice by measuring from the wall to the line marked on the ceiling. Transfer this mark to the relevant end of the cornice. If cutting an internal mitre, put the mark to the top end; if cutting an external mitre, put the mark to the bottom end of the cornice.

Prior to cutting, position the cornice upside down ie using the floor/workbench as the ceiling. Cut through the cornice, using a wood saw, in line with the markings.

Repeat above process for adjacent wall.

FILLING JOINTS AND MITRES

First mix a small quantity of plaster in water, until it has a milky consistency. Cut off a square piece of scrim cloth (hessian), which is about the same width as the cornice; soak it in the mixture. Wipe off the surplus, and using a filling knife or similar tool, push the scrim into the joint. Ensure the scrim is behind the surface of the cornice and then, using the semi dry plaster mix, continue to fill the gap. Clean off the excess using a filling knife, then brush away any loose material with a clean, wet brush. As the jointing plaster begins to set, carve back with a filling knife to create an invisible joint.

Finally, fill in the gaps where the cornice meets the walls and ceiling. Brush away all loose material. When completely dry you can paint the cornice.

FIXING A CENTREPIECE

Hold the centrepiece in the position you want it to be, and mark a pencil line around the outside edge.

Using a nail probe within the marked circle, find the ceiling joists. Using a galvanised (or rust proof) nail or screw, fasten to the joists through the lathes in the centrepiece. NEVER RELY ON ONLY THE ADHESIVE TO DO THE JOB.

If you want to have a light fitting through the centrepiece, simply drill a hole for the wires and thread them through.

WHEN FIXING THE LIGHT FITTING
MAKE SURE IT IS FASTENED SECURELY
TO THE CEILING JOIST NOT THE
CENTREPIECE.

Once fixed, fill the perimeter as described earlier.

INSTALLING A NICHE

First of all make a recess in the wall which is 25mm small all round, than the size of the niche shell.

If it is a structural wall, it is important that you check the need for a lintel. If it is a cavity wall, you will need to put a damp proof membrane behind the niche. If you want a small strip light you must, at this stage, position the flex under the ground glass base.

Screw two mirror plates to the base; hold the unit in its desired position, marking the position for drilling the screw holes. We recommend that the wall plaster be rebated by approximately 12mm which can be filled in to hide the fixing points. Drill and plug the holes, then screw the base in position.

Screw three mirror plates onto the back of the shell, one at each side approximately 150mm above the base and the third at the top. Drill the wall as for the base then screw into place.

The niche's ground glass base sits in the rebate formed by base and shelf AND NEEDS NO FURTHER FIXING. The remaining shelf/shelves are held in place by drilling the shell to receive the white studs. It helps if you draw a line at whatever height you choose.

Fill all around the niche, against the wall and the joint between the niche shell and its base. Fill the rebate with plaster and filler. Clean off excess filler and allow to set. The unit can either be painted or left plain.

FIXING A CORNER NICHE

Fixing a corner niche is easier and quicker than fixing a niche into a wall. All you need to ensure is that the surfaces of the walls are in good condition. Mirror plates are attached to the unit as above. Fixing and finishing procedures are similar to the recessed niche.

FIXING A FIRE SURROUND

1. Set hearth and back slab in position.

2. Set up jambs, at either side of back slab, to correct width. With the jambs sitting in the hearth, mark the position of the fixing lugs on the wall, at the side of the jambs.

3. Set the head of the fire surround on to the jambs in the correct position and mark the 'lugs' on the wall.

4. Drill and fit the plastic plugs into the wall at the marked positions. Cut the plaster away so that the lug projection is recessed into the wall.

5. Put the jambs and the head back into position and screw into the plugs. Make good all joints and fixing points.

HELP

If you need any further information, or if you would like advice on which point in your room to begin the work, one of our technical team will be pleased to advise you.

Tel: 01246 290890

Fax: 01246 290292

Email: info@hodkin-jones.co.uk

TERMS AND CONDITIONS OF BUSINESS

Hodkin & Jones (Sheffield) Ltd Callywhite Lane
Dronfield S18 2XP

In these conditions Hodkin & Jones (Sheffield) Ltd (Company number 08524274) is referred to as the Seller. The Purchaser is any person, company or firm to whom goods or services are supplied by the Seller.

1. Formation of Contract

I. Any order sent to the Seller by the Purchaser shall be accepted entirely at the discretion of the Seller, and if so accepted, will only be accepted upon these conditions (hereafter referred to as the 'Conditions') and by means of the Seller's standard order acknowledgement form.

II. Each order which is so accepted shall constitute an individual legally binding contract between the Seller and the Purchaser and such contract is hereafter referred to in these conditions as an 'order'

III. These conditions shall override any contrary different or additional terms of conditions (if any) contained on or referred to in an order form or other documents or correspondence from the Purchaser, and no addition or alteration or substitution of these terms will bind the seller or form part of any order unless they are expressly accepted in writing by a person authorised to sign on the Seller's behalf

2. Specification

All goods supplied by the Seller shall be in accordance with

I. The current edition of the relevant product description leaflet as published from time to time (copies of which are available from the Seller upon request) and

II. Those further specifications or descriptions (if any) expressly listed or set out on the face of the Order. No other specifications, descriptive material, written or oral representation, correspondence or statement, promotional or sales literature shall form part of or be incorporated by reference into the order

3. Acceptance

The Purchaser shall be deemed to have accepted all goods upon their delivery by the Seller to the address specified in the Order.

4. Delivery and Risk

I. Any time or date for delivery given by the Seller is given by the Seller in good faith, but is an estimate only

II. Risk in the goods shall pass to the Purchaser upon delivery to the Purchaser's site before unloading

III. The Purchaser shall provide tackle for expeditiously unloading the goods at its site and provided that the Seller reserves the right to make an additional charge if the unloading of the lorry is delayed by the act or default of the Purchaser

IV. If the Purchaser collects the goods from the Seller's premises delivery will take place and risk will pass when the goods have been loaded onto the Purchaser's transport.

V. Deliveries for main UK area's are usually within 7/21 working days from receipt of payment.

VI. Please note that orders to Scotland will incur delivery charges and orders to Wales may incur charges please contact our office prior to ordering to confirm.

VII. Deliveries dates are estimates only and we cannot be held liable for any compensation claims from the buyer for any charges they incur because of late or non-delivery.

VIII. Due to the nature of the product we cannot accept any returns once the goods are signed for or have been delivered and on site for more than 24 hours.

IX. No refund will be made for bespoke products manufactured to the purchaser specification once we receive the order and that has been put into the production system.

X. We will replace free of charge any goods proved to our satisfaction to have been damaged in transit only if we have notification from the purchaser within 24 hours of delivery

5. Title and Payment

I. The Seller warrants that (except in relation to intellectual property rights of third parties as referred to in condition 5.3) the Seller has good title to the goods (and that pursuant to s 12(3) of the Sale of Goods Act 1979, or s 2(3) of the Supply of Goods and Services Act 1982, whichever Act applies to the order) it will transfer such title as it may have in the goods to the Purchaser pursuant to Condition 5.5

II. The Seller warrants that it is not aware of any actual or alleged infringements of any intellectual property rights of third parties which relate to the goods other than those (if any) which the Seller has disclosed to the Purchaser prior to acceptance of the Order

III. The Seller shall have no liability to the Purchaser (other than as provided in Condition 10) in the event that the goods to be supplied under the Order infringe any intellectual property rights of a third party (including without limitation by reason of their possession, sale or use, whether alone or in association or combination with any other goods), the Seller gives no warranty that the goods to be supplied under the order will not infringe as aforesaid, and all conditions, warranties, stipulations or other statements whatsoever relating to such infringement or alleged infringement (if any) whether express or implied, by statute, at common law or otherwise howsoever, are hereby excluded.

IV. Unless otherwise stated in the Order, payment of the price of goods comprised in each consignment delivered pursuant to an Order shall be paid net monthly. The Seller reserve the right to charge interest at Santander base rate plus 4% on all invoices remaining unpaid by due date.

V. Title to the goods comprised in each consignment shall not pass to the purchaser until the Purchaser have paid their price to the Seller, but, even though title has not passed, the Seller shall be entitled to sue for their price once its payment has become due

6. Damage in transit

The seller will replace free of charge any goods proved to the Seller's satisfaction to have been damaged in transit provided that within 24 hours

after delivery both the Seller and the carriers have received from the Purchaser's notification in writing of the occurrence of the damage and also, if and so far as practicable, of its nature and extent.

7. Defects Liability of Seller

I. The Purchaser shall inspect the Goods on delivery and shall within 3 days of delivery notify the Seller of any alleged defect, shortage in quantity, damage or failure to comply with description. If the Purchaser shall fail to comply with these provisions the Goods shall be conclusively presumed to be in accordance with the contract and free from any defect or damage which would be apparent on a reasonable examination of the Goods and the Purchaser shall be deemed to have accepted the Goods.

II. If the goods are not in accordance with the contract for any reason the Purchaser's sole remedy shall be limited to the Seller making good any shortage or defects by replacing such Goods or, if the Seller shall elect, by refunding a proportionate part of the price.

III. The Seller's liability to the Purchaser, whether for any breach of contract or otherwise. Shall not in any event exceed the price and the Seller shall be under no liability for any direct loss and/or expense or indirect loss and/or expense suffered by the Purchaser or liability to third parties incurred by the Purchaser.

IV. All warranties and conditions whether implied by statute or otherwise are excluded from this contract provided that nothing in this contract shall restrict or exclude liability for death or personal injury caused by the negligence of the Seller or effect the statutory rights of the Purchaser dealing as consumer.

8. Economic loss

In no circumstances shall the Seller be liable, in contract, tort (including negligence or breach of statutory duty) or otherwise howsoever, and whatever the cause thereof, (i) for the loss of profit, business, contracts, revenues, or anticipated savings, or (ii) for any special indirect or consequential damage of any nature whatsoever.

9. Conditions of Service

Where any service is supplied to the Purchaser the following conditions shall apply in addition to the conditions of sale set out herein:

I. The price for providing any service is based on the Purchaser at his expense providing all requisite power, light, water, storage and scaffolding to meet Health & Safety regulations standards.

II. The price assumes all services can be provided on a continuous attendance at the Purchaser's premises and any delay resulting in additional site visits will be charged in addition.

III. The Purchaser will provide adequate protection and shelter during the provision of the services.

10. Applicable law

The order shall be considered a contract made in England and shall be governed in all respects by the law of England and the parties agree to submit to the exclusive jurisdiction of the English Courts.



Bespoke and match to existing service available.

Head Office, Showroom & Works:
Callywhite Lane, Dronfield, Sheffield, S18 2XP

Telephone:
01246 290890

E-mail:
info@hodkin-jones.co.uk

Fax:
01246 290292

Website:
www.plastermouldingonline.com

HODKIN & JONES
EST. 1868